

**SDS Report** No.: CANEC1706025501 Date: 25 Apr 2017 Page 1 of 1

SGS Job No. : CQ17928653EC Sample Name : Pigment ink

End Uses : Eyebrow/lip/eyeliner permanent makeup

Composition/Ingredient of sample

(as per client submission)

Job Receiving Date : 12 Apr 2017

SDS Preparation Period : 12 Apr 2017 - 19 Apr 2017

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in

accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is

See section 3 Composition/information on ingredients on the SDS report

provided per attached.

Remark:

The SDS is prepared based on the information provided by client.

 $^{\star}$  This sample is likely to be classified as cosmetic product and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is

generated for client's reference only.

Signed for and on behalf of

Luguan

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Zm guan

Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention\*\*. To check the authenticity of testing /inspection report 8 certificate, please contact us at telephone: (86-755) 83071443.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <a href="mailto:CN.Doccheck@sgs.com">CN.Doccheck@sgs.com</a>

Printing date 25.04.2017 Revision: 18.04.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Pigment ink
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: Eyebrow/lip/eyeliner permanent makeup
- · 1.3 Details of the supplier of the safety data sheet



· 1.4 Emergency telephone number:

UNITED KINGDOM

National Poisons Information Service

*Tel:* +44 (0) 344 892 0111 (for healthcare professional)

+44 (0) 845 46 47 (in England or Wales)

+44 (0) 8454 24 24 24 (in Scotland)

- +86 18664153388 Harris Hu
- · 1.5 Reference Number: CQ17928653EC, CANEC1706025501
- · 1.6 Remark:
- \* This sample is likely to be classified as cosmetic product and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

· Information concerning particular hazards for human and environment:

The product has not to be labelled due to the calculation procedure of Regulation 1272/2008/EC.

· Classification system:

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards:
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of listed hazard statements refer to section 16.

(Contd. on page 2)

Printing date 25.04.2017 Revision: 18.04.2017

Trade name: Pigment ink

		(Contd. of page 1)
· Composition:		
CAS: 1332-37-2 EINECS: 215-570-8	Iron oxide	60.0%
CAS: 56-81-5 EINECS: 200-289-5	Glycerol substance with a Community workplace exposure limit	30.0%
CAS: 57-55-6 EINECS: 200-338-0	propane-1,2-diol substance with a Community workplace exposure limit	4.0%
CAS: 84696-19-5 EINECS: 283-637-9	Hamamelis virginiana, ext.	3.0%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol Flam. Liq. 2, H225	3.0%

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General description: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

No special measures required.

For the general occupational hygienic measures refer to Section 8.

(Contd. on page 3)

Printing date 25.04.2017 Revision: 18.04.2017

Trade name: Pigment ink

(Contd. of page 2)

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s): No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· 6.1 Control parameters					
· Ingredients with limit values that require monitoring at the workplace:					
56-81-5 Glycerol (30.0%)					
WEL (Great Britain)	Long-term value: 10 mg/m³				
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (1);DFG, Y				
VME (France)	Long-term value: 10 mg/m³				
57-55-6 propane-1,2-diol (4.0%)					
WEL (Great Britain)	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates				
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc				
64-17-5 ethanol (3.0	%)				
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm				
AGW (Germany)	Long-term value: 960 mg/m³, 500 ppm 2(II);DFG, Y				
VME (France)	Short-term value: 9500 mg/m³, 5000 ppm Long-term value: 1900 mg/m³, 1000 ppm				

- · DNELs: Not available · PNECs: Not available
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

- · Appropriate engineering controls: See Section 7 for information about design of technical facilities.
- · Personal protective equipment
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 25.04.2017 Revision: 18.04.2017

Trade name: Pigment ink

(Contd. of page 3)

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- $\cdot \textit{Environmental exposure controls:}$

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemic	* *
9.1 Information on basic physical and cl Appearance	hemical properties
Form:	Paste
Colour:	Black
Odour:	Odourless
Odour threshold:	Not available
pH-value:	Not available
Change in condition	
Melting point/freezing point:	Not available
Initial boiling point and boiling range:	
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gas):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not available
Upper:	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in / Miscibility with	
water:	Not available
Partition coefficient: n-octanol/water:	Not available.
Viscosity	
Dynamic: Kinematic:	Not available. Not available

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity: Data not available
- · 10.2 Chemical stability: Data not available

(Contd. on page 5)

Printing date 25.04.2017 Revision: 18.04.2017

Trade name: Pigment ink

(Contd. of page 4)

- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
56-81-5 Glycerol				
Oral	LD50	12600 mg/kg (rat)		
57-55-6 pr	57-55-6 propane-1,2-diol			
Oral	LD50	20000 mg/kg (rat)		
Dermal	LD50	20800 mg/kg (rabbit)		
64-17-5 et	64-17-5 ethanol			
Oral	LD50	7060 mg/kg (rat)		
Inhalative	LC50/4 h	20000 mg/l (rat)		

- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- Respiratory or skin sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Printing date 25.04.2017 Revision: 18.04.2017

Trade name: Pigment ink

(Contd. of page 5)

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	n
14.1 UN-Number ADR/RID/ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG, IATA Class Label	Not applicable
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Not applicable
14.5 Environmental hazards Marine pollutant:	No
14.6 Special precautions for user: Danger code (Kemler):	Not applicable. -
14.7 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code:	<b>II of</b> Not applicable.
14.8 Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK(German Maximum Workplace Concentration)

64-17-5 ethanol

5

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category Not applicable
- · Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable
- Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (12/1/2017)

None of the ingredients is listed

· REACH Regulation Annex XVII Restriction (3/2/2017) See Section 16 for information about restriction of use.

None of the ingredients is listed

(Contd. on page 7)

Printing date 25.04.2017 Revision: 18.04.2017

Trade name: Pigment ink

(Contd. of page 6)

#### · REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

· Relevant hazard statements

H225 Highly flammable liquid and vapour.

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

#### Remark:

\* This sample is likely to be classified as cosmetic product and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2

End of document

- EU